

DAFTAR PUSTAKA

- Ahyar, H. dkk. (2020). *Buku Metode Penelitian Kualitatif & Kuantitatif*. Yogyakarta: CV. Pustaka Ilmu.
- Ajuziogu, G. C., Ejeagba, P. O., Nwafor, F. I., Ayogu, V. O., Nweze, A. E., Asuzu, C. U., & Egonu, S. N. (2018). Comparative anatomical studies of the stomatal patterns of some tree species of sterculiaceae and verbenaceae in Nigeria. *Pakistan Journal of Botany*, 50(2), 679–684.
- Antoninka, A., Bowker, M. A., Reed, S. C., & Doherty, K. (2016). Production of greenhouse-grown biocrust mosses and associated cyanobacteria to rehabilitate dryland soil function. *Restoration Ecology*, 24(3), 324–335. <https://doi.org/10.1111/rec.12311>
- As'Ari, R., Rohmat, D., Maryani, E., & Ningrum, E. (2019). Identification of Galunggung Volcano Potential Area for Geographic Education Field Laboratory Development. *IOP Conference Series: Earth and Environmental Science*, 286(1). <https://doi.org/10.1088/1755-1315/286/1/012011>
- Beck, C. B. (2010). *An Introduction to Plant Structure and Development* (2nd ed.). New York: Cambridge University Press.
- Bill, & Malcolm, N. (2000). *Mosses and Other Bryophytes*. New Zealand: Micro Optics Press.
- Bippus, A. C., Escapa, I. E., & Tomescu, A. M. F. (2018). Wanted dead or alive (probably dead): Stem group Polytrichaceae. *American Journal of Botany*, 105(8), 1243–1263. <https://doi.org/10.1002/ajb2.1096>
- Cai, W., Wu, L., Lengaigne, M., Li, T., McGregor, S., Kug, J. S., ... Chang, P. (2019). Pan-tropical climate interactions. *Science*, 363(6430). <https://doi.org/10.1126/science.aav4236>
- Caine, R. S., Chater, C. C. C., Fleming, A. J., & Gray, J. E. (2020). Stomata and Sporophytes of the Model Moss *Physcomitrium patens*. *Frontiers in Plant Science*, 11(May), 1–18. <https://doi.org/10.3389/fpls.2020.00643>
- Câmara, P. E. A. S., Carvalho-Silva, M., & Buck, W. R. (2015). The genus *Acroporium* (Sematophyllaceae) in the neotropics. *Journal of Bryology*, 37(4), 284–291. <https://doi.org/10.1179/1743282014Y.0000000126>
- Chater, C. C. C., Caine, R. S., Fleming, A. J., & Gray, J. E. (2017). Origins and evolution of stomatal development. *Plant Physiology*, 174(2), 624–638. <https://doi.org/10.1104/pp.17.00183>
- Chua, M. S., Ho, B. C., Suleiman, M., Zuo, Q., Zhang, D. X., & Zhang, L. (2018). Lectotypification of *Acroporium hyalinum* (Reinw. ex Schwägr.) Mitt. (Hypnales: Sematophyllaceae). *Telopea*, 21(December), 175–185. <https://doi.org/10.7751/telopea12957>
- Coudert, Y., Bell, N. E., Edelin, C., & Harrison, C. J. (2017). Multiple innovations underpinned branching form diversification in mosses. *New Phytologist*, 215(2), 840–850. <https://doi.org/10.1111/nph.14553>
- Crandall-Stotler, B. J. J., & Bartholomew-Began, S. E. E. (2007). Morphology of Mosses (Phylum Bryophyta). *Flora of North America North of Mexico*, 27, 3–13. Retrieved from

- <http://flora.huh.harvard.edu/FloraData/001/WebFiles/fna27/FNA27-Chapter1.pdf>
- Daloso, D. M., Medeiros, D. B., dos Anjos, L., Yoshida, T., Araújo, W. L., & Fernie, A. R. (2017). Metabolism within the specialized guard cells of plants. *New Phytologist*, 216(4), 1018–1033. <https://doi.org/10.1111/nph.14823>
- Duckett, J. G., & Pressel, S. (2018). The evolution of the stomatal apparatus: Intercellular spaces and sporophyte water relations in bryophytes—two ignored dimensions. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 373(1739). <https://doi.org/10.1098/rstb.2016.0498>
- e-Flora of South Africa. (2018). South African National Biodiversity Institute. Retrieved from http://ipt.sanbi.org.za/iptsanbi/resource?r=flora_descriptions&v=1.21
- FAJUKE, A. A. (2010). Desiccation Stress and the Effect of Humidity in Mosses. *Notulae Scientia Biologicae*, 2(1), 40–42. <https://doi.org/10.15835/nsb213554>
- Flora of North America. (2014). Flora of North America. Retrieved June 9, 2022, from www.e-floras.org
- Gallego, M. T., Cano, M. J., Larraín, J., & Guerra, J. (2020). Syntrichia lamellaris M.T.Gallego, M.J.Cano & Larraín (Pottiaceae), a new moss species from Chilean Patagonia. *Journal of Bryology*, 42(2), 128–132. <https://doi.org/10.1080/03736687.2019.1706036>
- Glime, J. M. (2021). *Bryophyte Ecology*. Michigan Technological University.
- Goffinet, B., & Shaw, A. J. (2008). *Bryophyte Biology* (2nd ed.). New York: Cambridge University Press.
- Granot, D., & Kelly, G. (2019). Evolution of Guard-Cell Theories: The Story of Sugars. *Trends in Plant Science*, 24(6), 507–518. <https://doi.org/10.1016/j.tplants.2019.02.009>
- Gray, A., Liu, L., & Facette, M. (2020). Flanking Support: How Subsidiary Cells Contribute to Stomatal Form and Function. *Frontiers in Plant Science*, 11(July), 1–12. <https://doi.org/10.3389/fpls.2020.00881>
- Hanslin, H. M., Bakken, S., & Pedersen, B. (2001). The impact of watering regime and ambient relative humidity on the effect of density on growth in two boreal forest mosses, *Dicranum majus* and *Rhytidadelphus loreus*. *Journal of Bryology*, 23(1), 43–54. <https://doi.org/10.1179/jbr.2001.23.1.43>
- Harris, B. J., Harrison, C. J., Hetherington, A. M., & Williams, T. A. (2020). Phylogenomic Evidence for the Monophyly of Bryophytes and the Reductive Evolution of Stomata. *Current Biology*, 30(11), 2001–2012.e2. <https://doi.org/10.1016/j.cub.2020.03.048>
- Hassanah, U., Azis, P. A., Jayati, R. D., Astuti, W. W., Taskirah, A., Liana, A., ... Sulastri, N. D. P. (2021). *Anatomii dan Fisiologi Tumbuhan* (A. Arif, Ed.). Media Sains Indonesia.
- Huttunen, S., Bell, N., & Hedenäs, L. (2018). The Evolutionary Diversity of Mosses—Taxonomic Heterogeneity and its Ecological Drivers. *Critical Reviews in Plant Sciences*, 37(2–3), 128–174. <https://doi.org/10.1080/07352689.2018.1482434>
- ITIS. (n.d.). The Integrated Taxonomic Information System (ITIS).
- Janssens, J. A. . (2013). *Illustrated Glossary To the Field Guides of the of*

Minnesota. 52.

- Jonathan Shaw, A., Szövényi, P., & Shaw, B. (2011). Bryophyte diversity and evolution: Windows into the early evolution of land plants. *American Journal of Botany*, 98(3), 352–369. <https://doi.org/10.3732/ajb.1000316>
- Jones, H. G. (2013). Plants and microclimate: A quantitative approach to environmental plant physiology. In *Plants and Microclimate: A Quantitative Approach to Environmental Plant Physiology* (3rd ed., Vol. 9780521279). <https://doi.org/10.1017/CBO9780511845727>
- Kirbis, A., Waller, M., Ricca, M., Bont, Z., Neubauer, A., Goffinet, B., & Szövényi, P. (2020). Transcriptional Landscapes of Divergent Sporophyte Development in Two Mosses, *Physcomitrium* (*Physcomitrella*) *patens* and *Funaria hygrometrica*. *Frontiers in Plant Science*, 11(June). <https://doi.org/10.3389/fpls.2020.00747>
- Kosasih, E. (2021). *Pengembangan Bahan Ajar* (B. S. Fatmawati, Ed.). Jakarta Timur: Bumi Aksara.
- Kubásek, J., Hájek, T., Duckett, J., Pressel, S., & Šantrůček, J. (2021). Moss stomata do not respond to light and CO₂ concentration but facilitate carbon uptake by sporophytes: a gas exchange, stomatal aperture, and ¹³C-labelling study. *New Phytologist*, 230(5), 1815–1828. <https://doi.org/10.1111/nph.17208>
- Lawal, I. O., Olaniyi, M. B., Rufai, S. O., & Aremu, A. O. (2021). Comparative assessment of the foliar micromorphology, phytochemicals and elemental composition of two cultivars of *Persea americana* Mill leaves. *Scientific African*, 14, e01034. <https://doi.org/10.1016/j.sciaf.2021.e01034>
- Lawson, T., & Matthews, J. (2020). Guard Cell Metabolism and Stomatal Function. *Annual Review of Plant Biology*, 71, 273–302. <https://doi.org/10.1146/annurev-arplant-050718-100251>
- Lei, Y. B., Xia, H. X., Chen, K., Plenković-Moraj, A., Huang, W., & Sun, G. (2021). Photosynthetic regulation in response to fluctuating light conditions under temperature stress in three mosses with different light requirements. *Plant Science*, 311(August). <https://doi.org/10.1016/j.plantsci.2021.111020>
- Ligrone, R., Duckett, J. G., & Renzaglia, K. S. (2012). Major transitions in the evolution of early land plants: A bryological perspective. *Annals of Botany*, 109(5), 851–871. <https://doi.org/10.1093/aob/mcs017>
- Mahapatra, B., Dhal, N. K., Dash, A. K., Panda, B. P., Panigrahi, K. C. S., & Pradhan, A. (2019). Perspective of mitigating atmospheric heavy metal pollution: using mosses as biomonitoring and indicator organism. *Environmental Science and Pollution Research*, 26(29), 29620–29638. <https://doi.org/10.1007/s11356-019-06270-z>
- Mark, L. (2021). *Abietinella abietina*. 27.
- Mcadam, S. A. M., Duckett, J. G., Merced, A., & Hedrich, R. (2021). *Stomata : the holey grail of plant evolution.* 108(3), 366–371. <https://doi.org/10.1002/ajb2.1619>
- Merced, A., & Renzaglia, K. S. (2016). Patterning of stomata in the moss *Funaria*: A simple way to space guard cells. *Annals of Botany*, 117(6), 985–994. <https://doi.org/10.1093/aob/mcw029>

- Merced, A., & Renzaglia, K. S. (2017). Structure, function and evolution of stomata from a bryological perspective. *Bryophyte Diversity and Evolution*, 39(1), 7. <https://doi.org/10.11646/bde.39.1.4>
- Mudjiyanto, B. (2018). Tipe Penelitian Eksploratif Komunikasi. *Jurnal Studi Komunikasi Dan Media*, 22(1), 65. <https://doi.org/10.31445/jskm.2018.220105>
- Mulyanie, E. (2016). Partisipasi Masyarakat Dalam Pelestarian Kawasan Konservasi Hutan di Gunung Galunggung Kabupaten Tasikmalaya. *Jurnal Geografi*, 4(1), 1–14.
- Newton, A. E., & Tangney, R. S. (2007). Pleurocarpous Mosses Systematids And Evolution. In *Pleurocarpous Mosses*. <https://doi.org/10.1201/9781420005592>
- Ni sa, S. U., Shah, S. A., Mumtaz, A. S., & Sultan, A. (2019). Stomatal novelties in *Vincetoxicum arnottianum* (Asclepiadaceae: Asclepiadoideae: Apocynaceae). *Flora: Morphology, Distribution, Functional Ecology of Plants*, 260(September). <https://doi.org/10.1016/j.flora.2019.151464>
- Pannowitz, S., Green, T. G. A., Maysek, K., Schlegel, M., Seppelt, R., Sancho, L. G., ... Schroeter, B. (2005). Photosynthetic responses of three common mosses from continental Antarctica. *Antarctic Science*, 17(3), 341–352. <https://doi.org/10.1017/S0954102005002774>
- Papadia, P., Barozzi, F., Migoni, D., Rojas, M., Fanizzi, F. P., & Di Sansebastiano, G. Pietro. (2020). Aquatic mosses as adaptable bio-filters for heavy metal removal from contaminated water. *International Journal of Molecular Sciences*, 21(13), 1–14. <https://doi.org/10.3390/ijms21134769>
- Plesková, Z., Jiroušek, M., Peterka, T., Hájek, T., Dítě, D., Hájková, P., ... Hájek, M. (2016). Testing inter-regional variation in pH niches of fen mosses. *Journal of Vegetation Science*, 27(2), 352–364. <https://doi.org/10.1111/jvs.12348>
- Putra, R., & Fitriani, R. (2019). Eksplorasi Tumbuhan Suku Orchidaceae di Kawasan Gunung Galunggung Kabupaten Tasikmalaya sebagai Bahan Ajar Tumbuhan Tingkat Tinggi. *Bioedusiana*, 4(2). <https://doi.org/10.34289/292824>
- Putra, R. R., & Fitriani, R. (2018). Identifikasi Morfologi Tumbuhan Kantong Semar (Nepenthes Sp.) Sebagai Bahan Ajar Tumbuhan Tingkat Tinggi Di Kawasan Wisata Gunung Galunggung Kabupaten Tasikmalaya. *Florea : Jurnal Biologi Dan Pembelajarannya*, 5(2), 85. <https://doi.org/10.25273/florea.v5i2.3450>
- Ray F. Evert. (2006). *ESAU'S PLANT ANATOMY* (3rd ed.). Hoboken, New Jersey: John Wiley & Sons, Inc.
- Rensing, S. A. (2018). Plant Evolution: Phylogenetic Relationships between the Earliest Land Plants. *Current Biology*, 28(5), R210–R213. <https://doi.org/10.1016/j.cub.2018.01.034>
- Renzaglia, K. S., Browning, W. B., & Merced, A. (2020). With Over 60 Independent Losses, Stomata Are Expendable in Mosses. *Frontiers in Plant Science*, 11(May), 1–14. <https://doi.org/10.3389/fpls.2020.00567>
- Renzaglia, K. S., Villarreal, J. C., Piatkowski, B. T., Lucas, J. R., & Merced, A. (2017). Hornwort stomata: Architecture and fate shared with 400-million-year-old fossil plants without leaves. *Plant Physiology*, 174(2), 788–797.

- <https://doi.org/10.1104/pp.17.00156>
- Rizal, R., Hernawati, D., & Fitriani, R. (2019). Identifikasi Tumbuhan Lumut Di Kawasan Wisata Gunung Galunggung Kabupaten Tasikmalaya Jawa Barat. *Bioma : Berkala Ilmiah Biologi*, 21(2), 114–120. <https://doi.org/10.14710/bioma.21.2>.
- Rousk, K., Pedersen, P. A., Dyrnum, K., & Michelsen, A. (2017). The interactive effects of temperature and moisture on nitrogen fixation in two temperate-arctic mosses. *Theoretical and Experimental Plant Physiology*, 29(1), 25–36. <https://doi.org/10.1007/s40626-016-0079-1>
- Rudall, P. J. (2007). *Anatomy of flowering plants* (3rd ed.). New York: Cambridge University Press.
- Rudall, P. J., Chen, E. D., & Cullen, E. (2017). Evolution and development of monocot stomata. *American Journal of Botany*, 104(8), 1122–1141. <https://doi.org/10.3732/ajb.1700086>
- Rudall, P. J., Hilton, J., & Bateman, R. M. (2013). Several developmental and morphogenetic factors govern the evolution of stomatal patterning in land plants. *New Phytologist*, 200(3), 598–614. <https://doi.org/10.1111/nph.12406>
- Ruhaedi, E. (2021). Laporan Aktivitas. Retrieved February 19, 2022, from <https://magma.esdm.go.id/v1/gunung-api/laporan/151766?signature=3201dbb5e70e006e427a22a92bb4116dda121f0747060eb25b9b34fb9d1f0a6>
- Santos, M. B. (2016). *TAXONOMIC HISTORY AND PRESENT CHALLENGES Marina Bonfim*. (October 2014).
- Schoch CL, et al. (2020). NCBI Taxonomy: a comprehensive update on curation, resources and tools.
- Schweingruber, F. h, & Borner, A. (2018). *The Plant Stem*. <https://doi.org/10.1007/978-3-319-73524-5>
- Spence, J. R. (2009). Phytologia. Retrieved from Flora of North America North Association website: www.eFloras.org
- Spence, J. R., & Ramsay, H. P. (2019). Revised keys and additions to the Australian Bryaceae (Bryopsida). *Telopea*, 22(September), 99–134. <https://doi.org/10.7751/TELOPEA13056>
- Sugiyono. (2018). *No Title* (S. Y. Suryandari, Ed.). Bandung: Alfabeta CV.
- Sugiyono. (2020). *Metode Penelitian Kualitatif* (3rd ed.). Bandung.
- Suryana, S., Parikesit, P. P., & Iskandar, J. I. (2018). Struktur Vegetasi Kawasan Hutan Pada Zona Ketinggian Berbeda di Kawasan Gunung Galunggung Kabupaten Tasikmalaya Jawa Barat. *Jurnal Ilmu Lingkungan*, 16(2), 130. <https://doi.org/10.14710/jil.16.2.130-135>
- Sussmilch, F. C., Brodribb, T. J., & McAdam, S. A. M. (2017). What are the evolutionary origins of stomatal responses to abscisic acid in land plants? *Journal of Integrative Plant Biology*, 59(4), 240–260. <https://doi.org/10.1111/jipb.12523>
- The Flora of China Project. (2002). The Flora of China.
- Touw, A. (2014). *A Taxonomic Revision of Thuidium , Peleki um , and Rauiella (Musci : Thuidiaceae) in Africa South of the Sahara*. 3(3), 135–195.
- USDA, N. (2022). The Plants Database.

- Van Der Wal, R., Pearce, I. S. K., & Brooker, R. W. (2005). Mosses and the struggle for light in a nitrogen-polluted world. *Oecologia*, 142(2), 159–168. <https://doi.org/10.1007/s00442-004-1706-0>
- Vanderpoorter, A., & Goffinet, B. (2009). *Introduction to Bryophytes*. New York: Cambridge University Press.
- Wasala, W. M. P. S., & Rubasinghe, S. C. K. (2019). *Taxonomic treatment of the family Polytrichaceae Schwägr . in Sri Lanka*. 48(1), 3–17.
- WFO. (2022). Abietinella abietina (hedw). M. Fleisch. Retrieved June 9, 2022, from <http://www.worldfloraonline.org/taxon/wfo-0001147534>
- Willmer, C., & Fricker, M. (1996). Stomata. In *Stomata* (2nd ed.). https://doi.org/10.1007/978-94-011-0579-8_6
- Windadri, F. I. (2017). Lumut Sejati Di Hutan Alam Pameungpeuk, Taman Nasional Gunung Halimun Salak, Jawa Barat. *Berita Biologi*, 16(2). <https://doi.org/10.14203/beritabiologi.v16i2.2302>
- Yadav, S. (2015). *STUDIES ON MOSS FLORA OF NILGIRI HILLS (TAMIL NADU), SOUTH INDIA STUDIES ON MOSS FLORA OF NILGIRI HILLS (TAMIL NADU), SOUTH INDIA* (Vol. 226007).
- Yusuf, M., Saraswati, U., & Ahmad, T. A. (2019). Pengembangan Bahan Ajar Perang Lasem Dalam Bentukbooklet Untuk Pembelajaran Sejarah Lokal Di Smanegeri 1 Lasem. *Indonesian Journal of History Education*, 7(1), 50–58. <https://doi.org/10.15294/ijhe.v7i1.32287>