

DAFTAR PUSTAKA

- Alzubaidi, L., Zhang, J., Humaidi, A. J., Al-Dujaili, A., Duan, Y., Al-Shamma, O., Santamaría, J., Fadhel, M. A., Al-Amidie, M., & Farhan, L. (2021). Review of deep learning: concepts, CNN architectures, challenges, applications, future directions. In *Journal of Big Data* (Vol. 8, Issue 1). Springer International Publishing. <https://doi.org/10.1186/s40537-021-00444-8>
- Apaydin, H., Feizi, H., Sattari, M. T., & Colak, M. S. (2020). Comparative Analysis of Recurrent Neural Network. *Water (Switzerland)*, *12*, 1–18. <https://www.mdpi.com/2073-4441/12/5/1500>
- Arif, S., Wang, J., Ul Hassan, T., & Fei, Z. (2019). 3D-CNN-based fused feature maps with LSTM applied to action recognition. *Future Internet*, *11*(2). <https://doi.org/10.3390/fi11020042>
- Batta, M. (2020). Machine Learning Algorithms - A Review. *International Journal of Science and Research (IJ)*, *9*(1), 381-undefined. <https://doi.org/10.21275/ART20203995>
- Caron, M., Bojanowski, P., Joulin, A., & Douze, M. (2019). *Deep Clustering for Unsupervised Learning of Visual Features*. <https://arxiv.org/abs/1807.05520>
- Deep, S., & Zheng, X. (2019). Leveraging CNN and Transfer Learning for Vision-based Human Activity Recognition. *2019 29th International Telecommunication Networks and Applications Conference, ITNAC 2019*, 35–38. <https://doi.org/10.1109/ITNAC46935.2019.9078016>
- Donahue, J., Hendricks, L. A., Rohrbach, M., Venugopalan, S., Guadarrama, S.,

- Saenko, K., & Darrell, T. (2016). *Long-term Recurrent Convolutional Networks for Visual Recognition and Description*. 1–14.
- Firmansyah, R. (2020). Implementasi Deep Learning Menggunakan Convolutional Neural Network Untuk Klasifikasi Bung. *Fakultas Sains Dan Teknologi UIN Syarif Hidayatullah Jakarta*.
<https://repository.uinjkt.ac.id/dspace/handle/123456789/55347>
- François-lavet, V., Henderson, P., Islam, R., Bellemare, M. G., François-lavet, V., Pineau, J., & Bellemare, M. G. (2018). An Introduction to Deep Reinforcement Learning. (arXiv:1811.12560v1 [cs.LG])
<http://arxiv.org/abs/1811.12560>. *Foundations and Trends in Machine Learning, II*(3–4), 1–140. <https://doi.org/10.1561/22000000071>. Vincent
- Ghosh, A., Sufian, A., Sultana, F., Chakrabarti, A., & De, D. (2019). Fundamental concepts of convolutional neural network. In *Intelligent Systems Reference Library* (Vol. 172, Issue January). https://doi.org/10.1007/978-3-030-32644-9_36
- Hochreiter, S., & Schmidhuber, J. (1997). Long Short-Term Memory. *Neural Computation, 9*(8), 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Liu, Y.-C., Ding, J.-J., Chang, Y.-J., Wang, C.-Y., & Wang, J.-C. (2017). Action recognition using three dimension convolution and long short term memory. *2017 IEEE International Conference on Consumer Electronics - Taiwan (ICCE-TW)*, 83–84. <https://doi.org/10.1109/ICCE-China.2017.7991006>
- Mokari, M., Mohammadzade, H., & Ghogh, B. (2020). Recognizing involuntary actions from 3D skeleton data using body states. *Scientia Iranica, 27*(3 D),

1424–1436. <https://doi.org/10.24200/SCI.2018.20446>

- Muhammad, K., Mustaqeem, Ullah, A., Imran, A. S., Sajjad, M., Kiran, M. S., Sannino, G., & de Albuquerque, V. H. C. (2021). Human action recognition using attention based LSTM network with dilated CNN features. *Future Generation Computer Systems*, *125*, 820–830. <https://doi.org/10.1016/j.future.2021.06.045>
- Mutegeki, R., & Han, D. S. (2020). A CNN-LSTM Approach to Human Activity Recognition. *2020 International Conference on Artificial Intelligence in Information and Communication, ICAIIC 2020*, 362–366. <https://doi.org/10.1109/ICAIIIC48513.2020.9065078>
- Nima, R., & Shila, F. (2020). Crack classification in rotor-bearing system by means of wavelet transform and deep learning methods: an experimental investigation. *Journal of Mechanical Engineering, Automation and Control Systems*, *1*(2), 102–113. <https://doi.org/10.21595/jmeacs.2020.21799>
- Park, S. U., Park, J. H., Al-Masni, M. A., Al-Antari, M. A., Uddin, M. Z., & Kim, T. S. (2016). A Depth Camera-based Human Activity Recognition via Deep Learning Recurrent Neural Network for Health and Social Care Services. *Procedia Computer Science*, *100*, 78–84. <https://doi.org/10.1016/j.procs.2016.09.126>
- Pramestya, R. H. (2018). Deteksi dan klasifikasi kerusakan jalan aspal menggunakan metode yolo berbasis citra digital. *Institut Teknolgi Sepuluh Nopember*, 91. http://repository.its.ac.id/59044/1/06111650010019-Master_Thesis.pdf

- Rebala, G., A, R., & S, C. (2019). Machine Learning Definition and Basics. *Springer, Cham*. https://doi.org/10.1007/978-3-030-15729-6_1
- Reddy, K. K., & Shah, M. (2013). Recognizing 50 human action categories of web videos. *Machine Vision and Applications*, 24(5), 971–981. <https://doi.org/10.1007/s00138-012-0450-4>
- SuperDataScience. (2018). *Convolutional Neural Networks (CNN): Step 3 - Flattening*. <https://www.superdatascience.com/blogs/convolutional-neural-networks-cnn-step-3-flattening>
- Surayahani, N., Norzali, M., & Razali, M. (2018). Human Activity Recognition Based on Convolutional Neural Network. *Journal of Engineering Science and Technology*, 2018-Augus, 48–57. <https://doi.org/10.1109/ICPR.2018.8545435>
- Wildan, M., Aldi, P., & Aditsania, A. (2018). Analisis dan Implementasi Long Short Term Memory Neural Network untuk Prediksi Harga Bitcoin. *E-Proceeding of Engineering*, 5(2), 3548–3555. <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/6739>
- Xu, W., Pang, Y., Yang, Y., & Liu, Y. (2018). Human Activity Recognition Based On Convolutional Neural Network. *2018 24th International Conference on Pattern Recognition (ICPR)*, 11742 LNAI, 165–170. <https://doi.org/10.1109/ICPR.2018.8545435>
- Yu, F. R., & He, Y. (2019). *Deep Reinforcement Learning for Interference Alignment Wireless Networks* (pp. 21–44). https://doi.org/10.1007/978-3-030-10546-4_3

- Żelawski, M., & Hachaj, T. (2021). The application of topological data analysis to human motion recognition. *Technical Transactions*, 1–10. <https://doi.org/10.37705/techtrans/e2021011>
- Zhang, Z., Lv, Z., Gan, C., & Zhu, Q. (2020). Human action recognition using convolutional LSTM and fully-connected LSTM with different attentions. *Neurocomputing*, 410, 304–316. <https://doi.org/10.1016/j.neucom.2020.06.032>
- Zhao, Y., Man, K. L., Smith, J., Siddique, K., & Guan, S. U. (2020). Improved two-stream model for human action recognition. *Eurasip Journal on Image and Video Processing*, 2020(1). <https://doi.org/10.1186/s13640-020-00501-x>