

FAKULTAS ILMU KESEHATAN

UNIVERSITAS SILIWANGI

TASIKMALAYA

2025

ABSTRAK

YANI MULYANI

ANALISIS FAKTOR –FAKTOR YANG BERHUBUNGAN KUALITAS HIDUP PASIEN GAGAL GINJAL KRONIK YANG MENJALANI HEMODIALISIS DI RUMAH SAKIT JASA KARTINI DAN RSUD dr. SOEKARDJO KOTA TASIKMALAYA TAHUN 2022

Gagal ginjal kronis adalah kondisi progresif gangguan ginjal yang mematikan dan ditandai dengan uremia. Urea dan limbah nitrogen lainnya dalam aliran darah dan kesulitan yang timbul dari tidak adanya dialisis atau transplantasi ginjal (Nursalam, 2009). Pada tahun 2015, Organisasi Kesehatan Dunia (WHO) melaporkan bahwa prevalensi global penyakit ginjal kronis (PGK) adalah 10% dari populasi, dengan perkiraan 1,5 juta orang menjalani hemodialisis (HD) di seluruh dunia. Penelitian ini bertujuan untuk menemukan dan menjelaskan karakteristik yang terkait dengan kualitas hidup pada individu yang menjalani hemodialisis. Tingkat insiden diproyeksikan meningkat sebesar 8% tahun. Penelitian ini bertujuan untuk menjelaskan parameter yang terkait dengan kualitas hidup pada pasien gagal ginjal kronis di RSUD Jasa Kartini dan dr. Soekardjo, Kota Tasikmalaya, pada tahun 2022. Metode penelitian yang digunakan adalah pendekatan kuantitatif deskriptif yang menggunakan desain cross-sectional. Peneliti mempekerjakan informan untuk mengumpulkan beragam informasi yang diperlukan selama proses penelitian, yang dipilih sesuai dengan metode Purposive Sampling. Temuan penelitian ini menunjukkan tidak ada korelasi yang signifikan antara tingkat pendidikan dan kualitas hidup pasien ($p\text{-value} = 0,128$). Selain itu, pekerjaan tidak mempengaruhi kualitas hidup pasien hemodialisis secara signifikan ($p\text{-value} = 0,160$). Tidak ada hubungan yang signifikan antara kelompok usia dan kualitas hidup pasien ($\text{nilai-p} = 0,560$). Durasi hemodialisis juga tidak menunjukkan hubungan yang signifikan dengan kualitas hidup pasien ($p\text{-value} = 0,597$). Selain itu, hipertensi tidak mengungkapkan hubungan yang signifikan antara jenis kelamin dan kualitas hidup pasien hemodialisis ($p\text{-value} = 0,762$).

Kata Kunci: Gagal Ginjal Kronis (GGK), Hemodialisis (HD), Kualitas Hidup Pasien.

FAKULTAS ILMU KESEHATAN

UNIVERSITAS SILIWANGI

TASIKMALAYA

2025

ABSTRACT

YANI MULYANI

ANALYSIS OF FACTORS RELATED TO QUALITY OF LIFE OF CHRONIC KIDNEY FAILURE PATIENTS UNDERGOING HEMODIALYSIS AT JASA KARTINI HOSPITAL AND DR. SOEKARDJO HOSPITAL, TASIKMALAYA CITY IN 2022

Chronic renal failure is a gradual condition of kidney impairment that can be lethal and is marked by uremia. Urea and other nitrogenous wastes in the bloodstream, along with problems, arise if dialysis or kidney transplantation is not conducted (Nursalam, 2009). The World Health Organization (2015) reports that the global prevalence of chronic kidney disease (CKD) is 10% of the population, with an estimated 1.5 million patients undergoing hemodialysis (HD) worldwide. The incidence rate is anticipated to rise by 8% each year. This study seeks to elucidate the determinants influencing the quality of life of chronic renal disease patients at Jasa Kartini Hospital and RSUD Dr. Soekardjo, Tasikmalaya, in 2022. The employed study method was a descriptive quantitative approach utilizing a crosssectional design. Researchers employed informants chosen via purposive sampling methods to gather the requisite information during the research procedure. The findings of this study indicated no significant correlation between education level and patients' quality of life (pvalue = 0.128), occupation did not significantly influence the quality of life of hemodialysis patients (p-value = 0.160), there was no significant association between age group and patients' quality of life (p-value = 0.560), the duration of hemodialysis did not significantly correlate with patients' quality of life (p-value = 0.597), hypertension did not demonstrate a significant relationship with patients' quality of life (p-value = 0.341), and no significant association was identified between gender and the quality of life of hemodialysis patients (pvalue = 0.762).

Keywords: Chronic Kidney Disease (CKD), Hemodialysis (HD), Patient Quality of Life