

DAFTAR PUSTAKA

- Abay, T.Y. and Kyriacou, P.A. (2021) ‘Photoplethysmography in oxygenation and blood volume measurements’, *Photoplethysmography: Technology, Signal Analysis and Applications*, pp. 147–188. Available at: <https://doi.org/10.1016/B978-0-12-823374-0.00003-7>.
- Abay, T.Y. and Kyriacou, P.A. (2022a) ‘Photoplethysmography in oxygenation and blood volume measurements’, *Photoplethysmography*, pp. 147–188. Available at: <https://doi.org/10.1016/b978-0-12-823374-0.00003-7>.
- Abay, T.Y. and Kyriacou, P.A. (2022b) *Photoplethysmography Technology, Signal Analysis and Applications, Photoplethysmography*. Available at: <https://doi.org/10.1016/b978-0-12-823374-0.00003-7>.
- Adigüzel, G., Şentürk, Ü. and Polat, K. (2024) ‘Blood Glucose Level Estimation Using Photoplethysmography (PPG) Signals with Explainable Artificial Intelligence Techniques’, *Open Journal of Nano*, 9(1), pp. 45–62. Available at: <https://doi.org/10.56171/ojn.1473276>.
- Aghadiati, 2019 (2017) ‘Tinjauan Pustaka Tinjauan Pustaka’, *Convention Center Di Kota Tegal*, pp. 6–32. Available at: [http://repository.umy.ac.id/bitstream/handle/123456789/10559/BAB II.pdf?sequence=6&isAllowed=y](http://repository.umy.ac.id/bitstream/handle/123456789/10559/BAB%20II.pdf?sequence=6&isAllowed=y).
- Almarshad, M.A. *et al.* (2022) ‘Diagnostic Features and Potential Applications of PPG Signal in Healthcare: A Systematic Review’, *Healthcare (Switzerland)*, 10(3), pp. 1–28. Available at: <https://doi.org/10.3390/healthcare10030547>.
- Amalia Yunia Rahmawati (2021) *PPG Signal Analysis An Introduction Using MATLAB*.
- Annesley, T.M. and Boyd, J.C. (2014) ‘The P value: Probable does not mean practical’, *Clinical Chemistry*, 60(7), pp. 1021–1023. Available at:

<https://doi.org/10.1373/clinchem.2014.226225>.

Arifin, M., Kusuma, W.A. and Syaifuddin, S. (2020) 'Monitoring Jarak Tempuh Lari Menggunakan Sensor Accelerometer', *Jurnal Repositor*, 2(6), p. 795. Available at: <https://doi.org/10.22219/repositor.v2i6.781>.

Badriah, S. *et al.* (2024) 'Identification of Blood Sugar Based on Non-invasive Measurements Using Photoplethysmography Method Signal Decoding in Diabetics in Tasikmalaya', 6(3), pp. 156–163.

Badriah, S., Bahtiar, Y. and Andang, A. (2022) 'Near Infrared LEDs-Based Non-Invasive Blood Sugar Testing for Detecting Blood Sugar Levels on Diabetic Care', *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 55(71), pp. 183–191. Available at: <https://doi.org/10.4028/p-vthp40>.

Basir, M.S.S.M. *et al.* (2021) 'An implementation of Short Time Fourier Transform for Harmonic Signal Detection', *Journal of Physics: Conference Series*, 1755(1). Available at: <https://doi.org/10.1088/1742-6596/1755/1/012013>.

Buda, R.A. and Addi, M.M. (2014) 'A portable non-invasive blood glucose monitoring device', *IECBES 2014, Conference Proceedings - 2014 IEEE Conference on Biomedical Engineering and Sciences: 'Miri, Where Engineering in Medicine and Biology and Humanity Meet'*, (December), pp. 964–969. Available at: <https://doi.org/10.1109/IECBES.2014.7047655>.

Chen, Y. *et al.* (2017) 'Use moving average filter to reduce noises in wearable PPG during continuous monitoring', *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICST*, 181 LNICST, pp. 193–203. Available at: https://doi.org/10.1007/978-3-319-49655-9_26.

Danika, A., Raharjo, J. and Hidayat, B. (2023) 'Deteksi Suara Gitar dengan Bahan Jenis Senar Berbeda Melalui Ciri Akustik dengan MelFrequency Cepstral Coefficients (MFCC) dan Support Vector Machine (SVM)', *eProceedings of*

Engineering, 9(6), pp. 2936–2942.

Ferdiansyah, P., Indrayani, R. and Subektiningsih, S. (2020) ‘Analisis Manajemen Bandwidth Menggunakan Hierarchical Token Bucket Pada Router dengan Standar Deviasi’, *Jurnal Nasional Teknologi dan Sistem Informasi*, 6(1), pp. 38–45. Available at: <https://doi.org/10.25077/teknosi.v6i1.2020.38-45>.

Gonzales, W.V., Mobashsher, A.T. and Abbosh, A. (2019) *The progress of glucose monitoring—A review of invasive to minimally and non-invasive techniques, devices and sensors*, *Sensors (Switzerland)*. Available at: <https://doi.org/10.3390/s19040800>.

González-López, A. and Campos-Morcillo, P.A. (2019) ‘Efficient detrending of uniform images for accurate determination of the noise power spectrum at low frequencies’, *Physics in Medicine and Biology*, 64(10). Available at: <https://doi.org/10.1088/1361-6560/ab1a68>.

Gunawan, R., Andang, A. and Ridwan, M. (2023) ‘Performance Comparison for Hearth Rate Signal Detection for Different location in Fingertip and Wrist Using Sensor MAX30102’, *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 59(1), pp. 131–143. Available at: <https://doi.org/10.4028/p-op1nzx>.

Hanafi, H. *et al.* (2024) ‘Pemodelan Prediksi Kadar Gula Darah Pada Pasien Diabetes Menggunakan Metode Regresi Linear’, *Journal of Internet and Software Engineering*, 5(1), pp. 1–8. Available at: <https://doi.org/10.22146/jise.v5i1.8480>.

Haq, A.D., Santoso, I. and Macrina, Z.A.A. (2012) ‘Estimasi Signal To Noise Ratio (SNR) Menggunakan Metode Korelasi’, *Transient*, 1(4), pp. 1–8.

Havis, A. Al and Fitria, L. (2018) ‘Filtering Sinyal Menggunakan Band Pass Filter’, *Jurnal SIFO Mikroskil*, 19(2), pp. 37–48. Available at: <https://doi.org/10.55601/jsm.v19i2.594>.

- Hina, A., Nadeem, H. and Saadeh, W. (2019) 'A single LED photoplethysmography-based noninvasive glucose monitoring prototype system', *Proceedings - IEEE International Symposium on Circuits and Systems*, 2019-May, pp. 1–5. Available at: <https://doi.org/10.1109/ISCAS.2019.8702747>.
- Höll, M., Kiyono, K. and Kantz, H. (2019) 'Theoretical foundation of detrending methods for fluctuation analysis such as detrended fluctuation analysis and detrending moving average', *Physical Review E*, 99(3), pp. 1–20. Available at: <https://doi.org/10.1103/PhysRevE.99.033305>.
- Huotari, M., Määttä, K. and Röning, J. (2015) 'Photoplethysmographic measurements of arterial and aortic pulse waveform characteristics', *Finnish Journal of eHealth and eWelfare*, 7(2–3), pp. 83–87. Available at: <https://journal.fi/finjehew/article/view/50895>.
- Imelda, S.I. (2019) 'Faktor-Faktor Yang Mempengaruhi Terjadinya diabetes Melitus di Puskesmas Harapan Raya Tahun 2018', *Scientia Journal*, 8(1), pp. 28–39. Available at: <https://doi.org/10.35141/scj.v8i1.406>.
- Indrawan, R., Saadah, S. and Yunanto, P.E. (2021) 'Blood Glucose Prediction Using Convolutional Long Short-Term Memory Algorithms', *Khazanah Informatika: Jurnal Ilmu Komputer dan Informatika*, 7(2), pp. 90–95. Available at: <https://doi.org/10.23917/khif.v7i2.14629>.
- Jeon, H. *et al.* (2020) 'Area-efficient short-time fourier transform processor for time–frequency analysis of non-stationary signals', *Applied Sciences (Switzerland)*, 10(20), pp. 1–10. Available at: <https://doi.org/10.3390/app10207208>.
- Karavaev, A.S. *et al.* (2021) 'Low-frequency component of photoplethysmogram reflects the autonomic control of blood pressure', *Biophysical Journal*, 120(13), pp. 2657–2664. Available at:

<https://doi.org/10.1016/j.bpj.2021.05.020>.

Kementerian Kesehatan RI. (2020) 'Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020', *Pusat Data dan Informasi Kementerian Kesehatan RI*, pp. 1–10.

Kohnert, K.D. *et al.* (2018) 'Applications of variability analysis techniques for continuous glucose monitoring derived time series in diabetic patients', *Frontiers in Physiology*, 9(SEP), pp. 1–10. Available at: <https://doi.org/10.3389/fphys.2018.01257>.

Ladeira, G. *et al.* (2020) 'Frequency spectrum recurrence analysis', *Scientific Reports*, 10(1), pp. 1–9. Available at: <https://doi.org/10.1038/s41598-020-77903-4>.

Laulkar, R. and Daimiwal, N. (2012) 'Acquisition of PPG signal for diagnosis of parameters related to heart', *Proceedings - ISPTS-1, 1st International Symposium on Physics and Technology of Sensors*, pp. 274–277. Available at: <https://doi.org/10.1109/ISPTS.2012.6260945>.

Li, X. and Li, C. (2017) 'Application of Permutation Entropy in Feature Extraction for Near-Infrared Spectroscopy Noninvasive Blood Glucose Detection', *Journal of Spectroscopy*, 2017. Available at: <https://doi.org/10.1155/2017/9165247>.

Majeed, I.A. *et al.* (2019) 'Motion Artifact Removal of Photoplethysmogram (PPG) Signal', *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, 560037, pp. 5576–5580. Available at: <https://doi.org/10.1109/EMBC.2019.8857131>.

Masili, S. and Dako, S. (2019) 'Heritabilitas Bobot Telur, Bobot Tetas Dan Bobot Badan Ayam Hasil Persilangan Umur 1 Minggu (Doc)', *Jambura Journal of Animal Science*, 1(1), pp. 1–5. Available at: <https://doi.org/10.35900/jjas.v1i1.2598>.

- Mishra, B. and Nirala, N.S. (2020) ‘A Survey on Denoising Techniques of PPG Signal’, *2020 IEEE International Conference for Innovation in Technology, INOCON 2020*, pp. 1–8. Available at: <https://doi.org/10.1109/INOCON50539.2020.9298358>.
- Nampoothiri, S.N. *et al.* (2020) ‘Comparison of Infrared and Red Photoplethysmography signals for Non-calibrated Non-invasive Blood Glucose Monitoring’, *2020 IEEE Region 10 Symposium, TENSYP 2020*, (June), pp. 1568–1571. Available at: <https://doi.org/10.1109/TENSYP50017.2020.9230743>.
- Nandi, A. and Ahmed, H. (2019) *Condition Monitoring with Vibration Signals, Condition Monitoring with Vibration Signals*. Available at: <https://doi.org/10.1002/9781119544678>.
- Narkhede, P., Dhalwar, S. and Karthikeyan, B. (2016) ‘NIR based non-invasive blood glucose measurement’, *Indian Journal of Science and Technology*, 9(41). Available at: <https://doi.org/10.17485/ijst/2016/v9i41/98996>.
- Nayak, S.K. *et al.* (2023) ‘A Review of Methods and Applications for a Heart Rate Variability Analysis’, *Algorithms*, 16(9). Available at: <https://doi.org/10.3390/a16090433>.
- Pantoja-Pacheco, Y.V. and Yáñez-Mendiola, J. (2024) ‘Method for the Statistical Analysis of the Signals Generated by an Acquisition Card for Pulse Measurement’, *Mathematics*, 12(6), pp. 1–24. Available at: <https://doi.org/10.3390/math12060923>.
- Park, J., Seok, H.S., Kim, S., *et al.* (2022) ‘Photoplethysmogram Analysis and Applications : An Integrative Review’, 12(March), pp. 1–23. Available at: <https://doi.org/10.3389/fphys.2021.808451>.
- Park, J., Seok, H.S., Kim, S.S., *et al.* (2022) ‘Photoplethysmogram Analysis and Applications: An Integrative Review’, *Frontiers in Physiology*, 12(March),

pp. 1–23. Available at: <https://doi.org/10.3389/fphys.2021.808451>.

Priya, K.S. (2021) ‘Linear Regression Algorithm in Machine Learning through MATLAB’, *International Journal for Research in Applied Science and Engineering Technology*, 9(12), pp. 989–995. Available at: <https://doi.org/10.22214/ijraset.2021.39410>.

Priyadarshini, M.S. *et al.* (2023) ‘Significance of Harmonic Filters by Computation of Short-Time Fourier Transform-Based Time–Frequency Representation of Supply Voltage’, *Energies*, 16(5). Available at: <https://doi.org/10.3390/en16052194>.

Rumiński, J. (2016) ‘Reliability of pulse measurements in videoplethysmography’, *Metrology and Measurement Systems*, 23(3), pp. 359–371. Available at: <https://doi.org/10.1515/mms-2016-0040>.

Salsabillah, S.F. *et al.* (2023) ‘Short Time Fourier Transform (STFT) Sebagai Feature Extraction Deteksi Kerusakan Inner Race Bearing Motor Induksi Secara Realtime Menggunakan Sinyal Suara’, *Jurnal Teknik Elektro*, 06(02), pp. 20–26.

Satria, E. and Wildian (2013) ‘Rancang Bangun Alat Ukur Kadar Gula Darah Non-Invasive Berbasis Mikrokontroler AT89S51 Dengan Mengukur Tingkat Kekeruhan Spesimen Urine Menggunakan Sensor Fotodiode’, *Jurnal Fisika Unand*, 2(1), pp. 40–47.

Stanković, L. *et al.* (2014) ‘Instantaneous frequency in time-frequency analysis: Enhanced concepts and performance of estimation algorithms’, *Digital Signal Processing: A Review Journal*, 35(1), pp. 1–13. Available at: <https://doi.org/10.1016/j.dsp.2014.09.008>.

Study, A.P. (2023) ‘An In-Ear PPG-Based Blood Glucose Monitor’:

Susana, E. *et al.* (2022) ‘Non-Invasive Classification of Blood Glucose Level for

Early Detection Diabetes Based on Photoplethysmography Signal', *Information (Switzerland)*, 13(2). Available at: <https://doi.org/10.3390/info13020059>.

Susana, E. *et al.* (2023) 'Non-Invasive Classification of Blood Glucose Level Based on Photoplethysmography Using Time–Frequency Analysis', *Information (Switzerland)*, 14(3). Available at: <https://doi.org/10.3390/info14030145>.

Susanti, S. and Bistara, D.N. (2018) 'Hubungan Pola Makan Dengan Kadar Gula Darah Pada Penderita Diabetes Mellitus', *Jurnal Kesehatan Vokasional*, 3(1), p. 29. Available at: <https://doi.org/10.22146/jkesvo.34080>.

Tamura, T. *et al.* (2014) 'Wearable photoplethysmographic sensors—past and present', *Electronics*, 3(2), pp. 282–302. Available at: <https://doi.org/10.3390/electronics3020282>.

Vadrevu, S. and Sabarimalai Manikandan, M. (2019) 'A Robust Pulse Onset and Peak Detection Method for Automated PPG Signal Analysis System', *IEEE Transactions on Instrumentation and Measurement*, 68(3), pp. 807–817. Available at: <https://doi.org/10.1109/TIM.2018.2857878>.

Zhang, Y. *et al.* (2015) 'Performance analysis of multiscale entropy for the assessment of ECG signal quality', *Journal of Electrical and Computer Engineering*, 2015. Available at: <https://doi.org/10.1155/2015/563915>.