

DAFTAR PUSTAKA

- Abay, T.Y. and Kyriacou, P.A. (2021) ‘Photoplethysmography in oxygenation and blood volume measurements’, *Photoplethysmography: Technology, Signal Analysis and Applications*, pp. 147–188. Available at: <https://doi.org/10.1016/B978-0-12-823374-0.00003-7>.
- Abay, T.Y. and Kyriacou, P.A. (2022) *Photoplethysmography Technology, Signal Analysis and Applications, Photoplethysmography*. Available at: <https://doi.org/10.1016/b978-0-12-823374-0.00003-7>.
- Almarshad, M.A. *et al.* (2022) ‘Diagnostic Features and Potential Applications of PPG Signal in Healthcare: A Systematic Review’, *Healthcare (Switzerland)*, 10(3), pp. 1–28. Available at: <https://doi.org/10.3390/healthcare10030547>.
- Askarian, B., Jung, K. and Chong, J.W. (2019) ‘Monitoring of heart rate from photoplethysmographic signals using a Samsung Galaxy Note8 in underwater environments’, *Sensors (Switzerland)*, 19(13). Available at: <https://doi.org/10.3390/s19132846>.
- Beard, L. and Ashton-Cleary, D. (2019) ‘Blood pressure measurement’, *Maths, Physics and Clinical Measurement for Anaesthesia and Intensive Care*, pp. 159–173. Available at: <https://doi.org/10.1542/peds.80.6.967a>.
- BREIMAN, L. (1996) ‘Bagging predictors’, *Risks*, 24, pp. 123–140. Available at: <https://doi.org/10.3390/risks8030083>.
- Bruce, E.N. (2015) *Biomedical signal processing and biometrics*. Available at: <https://doi.org/10.1109/cibec.2014.7020954>.
- Candence, P.S. (2020) *What is Signal to Noise Ratio and How to calculate it?*, *Candence*. Available at: <https://resources.pcb.cadence.com/blog/2020-what-is-signal-to-noise-ratio-and-how-to-calculate-it>.
- Charlton, P.H. *et al.* (2016) ‘An assessment of algorithms to estimate respiratory rate from the electrocardiogram and photoplethysmogram’, *Physiological Measurement*, 37(4), pp. 610–626. Available at:

<https://doi.org/10.1088/0967-3334/37/4/610>.

Charlton, P.H. *et al.* (2018) ‘Assessing mental stress from the photoplethysmogram: a numerical study’, *IPEM*, pp. 0–18.

Chatterjee, S. and Kyriacou, P.A. (2019) ‘Monte carlo analysis of optical interactions in reflectance and transmittance finger photoplethysmography’, *Sensors (Switzerland)*, 19(4). Available at: <https://doi.org/10.3390/s19040789>.

Chen, S. *et al.* (2019) ‘A Non-Invasive Continuous Blood Pressure’.

Chicco, D., Warrens, M.J. and Jurman, G. (2021) ‘The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation’, *PeerJ Computer Science*, 7, pp. 1–24. Available at: <https://doi.org/10.7717/PEERJ-CS.623>.

Chowdhury, M.H. *et al.* (2020) ‘Estimating blood pressure from the photoplethysmogram signal and demographic features using machine learning techniques’, *Sensors (Switzerland)*, 20(11). Available at: <https://doi.org/10.3390/s20113127>.

El-Hajj, C. and Kyriacou, P.A. (2020) ‘A review of machine learning techniques in photoplethysmography for the non-invasive cuff-less measurement of blood pressure’, *Biomedical Signal Processing and Control*, 58, p. 101870. Available at: <https://doi.org/10.1016/j.bspc.2020.101870>.

El-Hajj, C. and Kyriacou, P.A. (2021) ‘Cuffless blood pressure estimation from PPG signals and its derivatives using deep learning models’, *Biomedical Signal Processing and Control*, 70(June), p. 102984. Available at: <https://doi.org/10.1016/j.bspc.2021.102984>.

Elgendi, M. *et al.* (2013) ‘Systolic Peak Detection in Acceleration Photoplethysmograms Measured from Emergency Responders in Tropical Conditions’, *PLoS ONE*, 8(10), pp. 1–11. Available at: <https://doi.org/10.1371/journal.pone.0076585>.

Elgendi, M. (2016) ‘Optimal signal quality index for photoplethysmogram signals’,

Bioengineering, 3(4), pp. 1–15. Available at:
<https://doi.org/10.3390/bioengineering3040021>.

Elgendi, M. (2020) *PPG Signal Analysis: An Introduction Using MATLAB*, Elgendi, Mohamed.

Fan, P. *et al.* (2015) ‘Feature Extraction of Photoplethysmography Signal using Wavelet Approach’, pp. 283–286.

Fauzi, N. (2022) *Tekanan Darah Normal Menurut WHO, AHA, dan JNC, Kesehatan*. Available at: <https://www.nerslicious.com/tekanan-darah-normal/>.

Géron, A. (2019) *Hands-on Machine Learning with Scikit-Learn, Keras, and TensorFlow*, O’Reilly Media. O’Reilly Media.

Gunawan, R., Andang, A. and Ridwan, M. (2023) ‘Performance Comparison for Hearth Rate Signal Detection for Different location in Fingertip and Wrist Using Sensor MAX30102’, *Journal of Biomimetics, Biomaterials and Biomedical Engineering*, 59(1), pp. 131–143. Available at: <https://doi.org/10.4028/p-op1nzx>.

Handayani, dr. V.V. (2020) *Ketahui Penyebab Hipertensi Berdasarkan Tipenya.pdf*. Available at: <https://www.halodoc.com/artikel/ketahui-penyebab-hipertensi-berdasarkan-tipenya>.

Hargittai, S. (2005) ‘Savitzky-Golay least-squares polynomial filters in ECG signal processing’, *Computers in Cardiology*, 32, pp. 763–766. Available at: <https://doi.org/10.1109/CIC.2005.1588216>.

Hodson, T.O. (2022) ‘Root-mean-square error (RMSE) or mean absolute error (MAE): when to use them or not’, *Geoscientific Model Development*, 15(14), pp. 5481–5487. Available at: <https://doi.org/10.5194/gmd-15-5481-2022>.

Islamudin, A.F. *et al.* (2024) ‘Improvement of Non-invasive Blood Sugar and Cholesterol Meter with IoT Technology’, *Jurnal Teknokes*, 17(1), pp. 63–68. Available at: <https://doi.org/10.35882/teknokes.v17i1.666>.

- James, G. *et al.* (2013) *An Introduction to Statistical Learning*.
- James Stewart., Lothar Redlin., & S.W. (2011) 'Precalculus mathematics for calculus, 6th ed', *Reference & Research Book News*, 26(3). Available at: <http://ezproxy.unal.edu.co/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=edsgao&AN=edsgcl.257996015&lang=es&site=eds-live>.
- Karavaev, A.S. *et al.* (2021) 'Low-frequency component of photoplethysmogram reflects the autonomic control of blood pressure', *Biophysical Journal*, 120(13), pp. 2657–2664. Available at: <https://doi.org/10.1016/j.bpj.2021.05.020>.
- Kenge, R. (2020) 'Machine Learning, Its Limitations, and Solutions Over IT', *International Journal of Applied Research on Information Technology and Computing*, 11(2), p. 73. Available at: <https://doi.org/10.5958/0975-8089.2020.00009.3>.
- Kwiatkowski, D. *et al.* (1992) 'Testing the null hypothesis of stationarity against the alternative of a unit root. How sure are we that economic time series have a unit root?', *Journal of Econometrics*, 54(1–3), pp. 159–178. Available at: [https://doi.org/10.1016/0304-4076\(92\)90104-Y](https://doi.org/10.1016/0304-4076(92)90104-Y).
- Kyriacou, P.A. (2006) 'Pulse oximetry in the oesophagus', *Physiological Measurement*, 27(1). Available at: <https://doi.org/10.1088/0967-3334/27/1/R01>.
- Lee, Y. *et al.* (2022) 'Not Just Explain , but Explain Well : Interpretable Machine Learning Based on Ensemble Trees'.
- Li, S. *et al.* (2018) 'Comparison and Noise Suppression of the Transmitted and Reflected Photoplethysmography Signals', *BioMed Research International*, 2018. Available at: <https://doi.org/10.1155/2018/4523593>.
- Little, M.A. (2019) *Machine Learning for Signal Processing, Sustainability (Switzerland)*. Available at: <http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsci>

urbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_SISTEM_PEMBETUNGAN_TERPUSAT_STRATEGI_MELESTARI.

- Majeed, I.A. *et al.* (2019) ‘Motion Artifact Removal of Photoplethysmogram (PPG) Signal’, *Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBS*, 560037, pp. 5576–5580. Available at: <https://doi.org/10.1109/EMBC.2019.8857131>.
- Maqsood, S. *et al.* (2021) ‘A Benchmark Study of Machine Learning for Analysis of Signal Feature Extraction Techniques for Blood Pressure Estimation Using Photoplethysmography (PPG)’, *IEEE Access*, 9, pp. 138817–138833. Available at: <https://doi.org/10.1109/ACCESS.2021.3117969>.
- Mariati, L.H. and Hepilita, Y. (2020) ‘Deteksi Dini Tingkat Tekanan Darah Pada Perokok Usia Muda’, *Journal of Chemical Information and Modeling*, 1(1), pp. 40–50.
- MathWorks (2023) *Regression Learner App*, MathWorks. Available at: <https://www.mathworks.com/help/stats/regression-learner-app.html>.
- Matlab Book Editors (2018) *Mastering Machine Learning A Step-by-Step Guide with MATLAB*.
- Mediastudents (2018) *Blood Pressure (BP) Measurement*, Mediastudents. Available at: <https://www.medistudents.com/osce-skills/blood-pressure-measurement>.
- Monk, P. and Munro, L.J. (2021) *Maths for Chemistry*.
- Moraes, J.L. *et al.* (2018) ‘Advances in photoplethysmography signal analysis for biomedical applications’, *Sensors (Switzerland)*, 18(6), pp. 1–26. Available at: <https://doi.org/10.3390/s18061894>.
- Nareza, M. (2020) ‘Kenali Tekanan Darah Normal Berdasarkan Usia’, *Alodokter.Com* [Preprint]. Available at: <https://www.alodokter.com/kenali-tekanan-darah-normal-berdasarkan-usia#:~:text=Angka 120 mewakili,dengan tekanan,berelaksasi sebelum kembali memompa darah>.

- Park, J. *et al.* (2022) ‘Photoplethysmogram Analysis and Applications: An Integrative Review’, *Frontiers in Physiology*, 12(March), pp. 1–23. Available at: <https://doi.org/10.3389/fphys.2021.808451>.
- Pastor, C.A.C., Oh, C. and Hong, B. (2024) ‘Machine Learning-Based Cardiac Output Estimation Using Photoplethysmography in Off-Pump Coronary Artery Bypass Surgery’, pp. 1–15.
- Patro, S.G.K. and sahu, K.K. (2015) ‘Normalization: A Preprocessing Stage’, *Iarjset*, pp. 20–22. Available at: <https://doi.org/10.17148/iarjset.2015.2305>.
- Pedro Domingos (2012) ‘A Few Useful Things to Know About Machine Learning’, *communications of the ACM*, 55(10), pp. 79–88. Available at: <https://dl.acm.org/citation.cfm?id=2347755>.
- Pelaez-Coca, M.D. *et al.* (2022) ‘Impact of the PPG Sampling Rate in the Pulse Rate Variability Indices Evaluating Several Fiducial Points in Different Pulse Waveforms’, *IEEE Journal of Biomedical and Health Informatics*, 26(2), pp. 539–549. Available at: <https://doi.org/10.1109/JBHI.2021.3099208>.
- Pollreisz, D. and TaheriNejad, N. (2022) ‘Detection and Removal of Motion Artifacts in PPG Signals’, *Mobile Networks and Applications*, 27(2), pp. 728–738. Available at: <https://doi.org/10.1007/s11036-019-01323-6>.
- Raschka, S. and Mirjalili, V. (2017) *Python Machine Learning Second Edition*, *Taiwan Review*. Packt Publishing Ltd.
- Rasmussen, C.E. and Williams, C.K.I. (2006) *Gaussian Processes for Machine Learning*. Available at: [http://gen.lib.rus.ec/search?req=Rasmussen+Williams&nametype=orig&column\[\]=title&column\[\]=author&column\[\]=series&column\[\]=publisher&column\[\]=year%5Cnpapers2://publication/uuid/EF098AF5-1DFB-482C-8B7F-1BEE00644051](http://gen.lib.rus.ec/search?req=Rasmussen+Williams&nametype=orig&column[]=title&column[]=author&column[]=series&column[]=publisher&column[]=year%5Cnpapers2://publication/uuid/EF098AF5-1DFB-482C-8B7F-1BEE00644051).
- Rasmussen, C.E. and Williams, C.K.I.W. (2006) *Gaussian Processes for Machine Learning*, *Massachusetts Institute of Technology*.
- Roh, Y. *et al.* (2019) ‘A Survey on Data Collection for Machine Learning’, pp. 1–

20.

RSU Pindad (2022) *Mengenal Tanda-tanda Vital, RSU PINDAD*. Available at: <https://rsupindad.com/mengenal-tanda-tanda-vital-ttv/>.

Savitzky, A. and Golay, J.E.M. (1964) ‘Smoothing and Differentiation of Data by Simplified Least Squares Procedure’, *Analytical Chemistry*, 36(8), pp. 1639–1643. Available at: <https://doi.org/10.1021/ac60214a048>.

Semmlow, J. (2012) *Signal to Noise Ratio, ScienceDirect*. Available at: <https://www.sciencedirect.com/topics/immunology-and-microbiology/signal-noise-ratio>.

Shourie, N., Firoozabadi, M. and Badie, K. (2018) ‘Neurofeedback training protocols based on spectral EEG feature subset and channel selection for performance enhancement of novice visual artists’, *Biomedical Signal Processing and Control*, 43, pp. 117–129. Available at: <https://doi.org/10.1016/j.bspc.2018.02.017>.

Spencer, D. (2019) *Detrending fMRI Data*. Available at: https://users.soe.ucsc.edu/~daspence/detrending_fmri.html.

Sullivan, M. (2013) *ALGEBRA & TRIGONOMETRY*.

Sun, Y. and Thakor, N. (2015) ‘Photoplethysmography Revisited: From Contact to Noncontact, from Point to Imaging’, *IEEE Transactions on Biomedical Engineering*, 63(3), pp. 463–477. Available at: <https://doi.org/10.1109/TBME.2015.2476337>.

Susana, E. (2019) ‘Pengukuran Tekanan Darah Non-Invasive Tanpa Manset Menggunakan Metode Pulse Transit Time Berbasis Machine Learning Multivariat Regresi’, *Jurnal Kesehatan*, 10(1), p. 61. Available at: <https://doi.org/10.26630/jk.v10i1.1085>.

Tamura, T. *et al.* (2014) ‘Wearable photoplethysmographic sensors—past and present’, *Electronics*, 3(2), pp. 282–302. Available at: <https://doi.org/10.3390/electronics3020282>.

- Tarvainen, M.P., Ranta-aho, P.O. and Karjalainen, P.A. (2002) ‘An advanced detrending method with application to HRV analysis’, *IEEE Transactions on Biomedical Engineering*, 49(2), pp. 172–175. Available at: <https://doi.org/10.1109/10.979357>.
- Teng, X.F. and Zhang, Y.T. (2003) ‘Continuous and Noninvasive Estimation of Arterial Blood Pressure Using a Photoplethysmographic Approach’, *Annual International Conference of the IEEE Engineering in Medicine and Biology - Proceedings*, 4, pp. 3153–3156. Available at: <https://doi.org/10.1109/iembs.2003.1280811>.
- Vadrevu, S. and Sabarimalai Manikandan, M. (2019) ‘A Robust Pulse Onset and Peak Detection Method for Automated PPG Signal Analysis System’, *IEEE Transactions on Instrumentation and Measurement*, 68(3), pp. 807–817. Available at: <https://doi.org/10.1109/TIM.2018.2857878>.
- Wu, Q. (2021) ‘On a Feature Extraction and Classification Study for PPG Signal Analysis’, *Journal of Computer and Communications*, 09(09), pp. 153–160. Available at: <https://doi.org/10.4236/jcc.2021.99012>.
- Zhang, H. *et al.* (2020) ‘Multi-modal interactive fusion method for detecting teenagers psychological stress’, *Journal of Biomedical Informatics*, 106(July 2019), p. 103427. Available at: <https://doi.org/10.1016/j.jbi.2020.103427>.
- Zienkiewicz, A. (2017) *Blood Pressure Estimation Using Pulse Transite Time Models*, University of Oulu, Degree Programme in Computer Science and Engineering. Available at: <https://doi.org/10.1136/bmj.1.3931.960-a>.